

## Safety Data Sheet- INTEGRA LIQUID COLOR

### S1 – PRODUCT IDENTIFICATION

**Product Name:** Integra Liquid Color

**Product Number:**

**DATE PREPARED:**12/29/25

**COMPANY:** Delta Performance Products LLC  
9126 Industrial Blvd Covington GA 30014  
(678)729-9330

**EMERGENCY PHONE:** (800) 424-9300 (CHEMTREC)

**International call:** 703-527-3887 (collect calls accepted)

### 2 – HAZARDS IDENTIFICATION

**Classification of the chemical in accordance with Standard 29 CFR 1910.1200 (US-GHS)**

None Known H351: Suspected of causing cancer H335: May cause respiratory irritation H319: Causes serious eye irritation

**Label Elements (Hazard Communication Standard 29 CFR 1910.1200 (US-GHS))**

**Signal Word:**

**GHS Pictogram(s)**



**Precautionary Statement:**

P501: Dispose of contents/container in accordance with all local, regional, national, and international regulations

P308+313: IF exposed or concerned: Get medical advice/attention

P405: Store locked up

P501: Dispose of contents/ container to an approved waste disposal plant.

P281: Use personal protective equipment as required

P403+233: Store in a well ventilated place. Keep container tightly closed

P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P314: Get Medical advice/attention if you feel unwell

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P280: Wear protective gloves/protective clothing/eye protection/face protection

P264: Wash hands thoroughly after handling.

P302+352: IF ON SKIN: Wash with soap and water

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P233: Keep container tightly closed

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. prevent dust accumulation

**GHS Health Classification:** Carcinogenicity (2) Target Organ Toxicity- Single Exposure (3) Respiratory Tract Irritation  
Skin Irritation (2) Eye Irritation (2A)

**GHS Physical Classification:** None Known

**GHS Environmental Class:** None Known

**EU Statement:** None Known



## Safety Data Sheet- INTEGRA LIQUID COLOR

### 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical names	CAS No	Concentration		
Propylene Glycol Liquid additive blend Titanium Dioxide Water	1333-86-4 Proprietary Blend	1-50%* Balance		

\*Concentration varies based on product

**Substance/Mixture:** Mixture

**Synonym:**

### 4 – FIRST-AID MEASURES

#### Description of first aid measures

**In case of inhalation:** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical attention.

**In case of skin contact:** In case of skin contact, wash thoroughly with soap and water.

**In case of eye:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation occurs, get medical advice.

**In case of ingestion:** Rinse mouth. Do not induce vomiting unless directed to do so by a physician. If you feel unwell, seek medical attention

**Most important symptoms/effects both acute and delayed:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Indication of any immediate medical attention and special treatment needed:** Treat symptomatically and supportively

### 5 – FIRE-FIGHTING MEASURES

**Extinguishing Media:** Suitable extinguishing media: Foam, water spray, dry chemical powder, carbon dioxide, or sand

Unsuitable extinguishing media: Do not use a heavy water stream

**Flash point:** Not applicable

**Auto ignition temperature:** Not applicable

**Specific protective equipment and procedures for firefighters:** Wear self contained breathing apparatus and protective clothing

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Specific chemical hazards:** None

### 6 – ACCIDENTAL RELEASE MEASURES

**Environmental precautions:** Avoid creating airborne dust. Pick up with shovel or

mechanical equipment. Wet methods and vacuuming may be used on spills. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material.

**Personal Precautions:** Wet carbon black produces slippery walking surfaces. Avoid dust formation.

Ventilate area of leak or spill. Wear appropriate PPE as specified in Section 8.'



## Safety Data Sheet- INTEGRA LIQUID COLOR

**Small spill:** Ventilate area of leak or spill. If dust is generated, use appropriate respiratory protection. Vacuum or scoop material into an appropriate marked container for re-use or disposal.

**Large Spill:** Wear appropriate personal protective equipment as specified in Section 8. Vacuum or scoop material into an appropriate marked container for re-use or disposal. Spill area can be washed with water. Collect wash water for approved disposal. Prevent run-off from entering storm sewers and ditches which lead to natural waterways. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods for cleanup:** Avoid dust formation. Following product recovery, flush with water. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container. Do not discharge into drains, water courses, or onto the ground

### 7 – HANDLING and STORAGE

**Storage:** Store in closed original container in a dry place. Room temperature-normal conditions. Use care in handling/storage. Keep in properly labeled containers

**Handling:** Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Keep formation of airborne dusts to a minimum. When using do not eat, drink, or smoke. Wash hands thoroughly after handling.

### 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Occupational exposure limits

OSHA PEL for Particulates Not Otherwise Regulated (PNOR) of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction is recommended. In addition, the ACGIH recommends 3 mg/m<sup>3</sup> - respirable particles and 10 mg/m<sup>3</sup> - inhalable particles for Particles (insoluble or poorly soluble) Not Otherwise Specified (PNOS). The following respirator is recommended if airborne concentrations exceed the appropriate standard/guideline. NIOSH approved, air-purifying particulate respirator with N-95 filters.

**Appropriate engineering controls:** If needed use local exhaust ventilation to keep dust concentration below limits cited in this Section.

#### Personal Protective Equipment

**Respiratory Protection:** Use a properly fitted particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product, and the safe working limits of the selected respirator. Wear a respirator conforming to EN140 with type A/P2 filter or better.

**Eye/Face protection:** Wear appropriate chemical safety glasses/goggles.

**Hand/Skin Protection:** Wear appropriate protective gloves and clothing.

**General Hygiene Considerations:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location

### 9 – PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** COLORED LIQUID

**Physical State:** LIQUID

**Color:** BROWN

**Odor:** odorless

**pH:** Not applicable

**Melting Point:** NA

**Boiling Point:** NA

**Flash point:** Not applicable



## Safety Data Sheet- INTEGRA LIQUID COLOR

**Flammibility (solid,gas):** 0  
**Explosive Properties:** Not explosive  
**Vapor Pressure:** Not applicable  
**Vapor Density (AIR=1):** Not applicable  
**Density:** NA  
**Solubility in water:** Dilutable  
**Partition Coefficient (n-octanol/water):** NOT APPLICABLE  
**Auto-ignition temperature:** Not applicable  
**Viscosity:** Not applicable

### 10 – STABILITY and REACTIVITY

**Reactivity:** No hazardous reaction known under normal conditions of use  
**Chemical Stability:** Stable under normal conditions  
**Hazardous Reactions:** Stable under normal conditions  
**Conditions to avoid:** Avoid contact with strong acids, reducing agents, and oxidizers.  
**Incompatible materials:** Avoid contact with strong acids, reducing agents, and oxidizers.  
**Hazardous Decomposition.:** Carbon monoxide and carbon dioxide when burning.

### 11 – TOXICOLOGICAL INFORMATION

**Acute Toxicity:** Dust may irritate eyes, skin, respiratory tract, mucous membranes. Dust hazard should not occur under normal use.

Chromium Ion (<0.2%)-yes

**Acute Oral Toxicity:** LD50 oral, rat: >10000 mg/kg  
**Acute Inhalation Toxicity:** Based on available data the classification criteria are not met  
**Chronic Toxicity:** Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

**Irritation:** Contact with skin may cause irritation. May irritate eyes. Repeated overexposure to this compound may cause eye, skin and respiratory tract irritation.

**Sensitization:** Non-sensitizing  
**Mutagenicity:** Non-mutagenic  
**Carcinogenicity:** Carbon Black CAS 1333-86-4  
Suspected of causing cancer. Risk of cancer depends on level of exposure  
**Reproductive toxicity:** No known significant effects or critical hazards on reproduction.  
**Aspiration hazard:** Not applicable

### 12 – ECOLOGICAL INFORMATION

**Ecotoxicity:** Not expected to be harmful to aquatic organisms  
**Persistence and degradability:** The product is not expected to be biodegradable.  
**Bioaccumulative potential:** The product does not contain any substances expected to be bioaccumulating.

**Mobility in soil:** Not applicable  
**Results of PBT and vPvB assessment:** The substance does not meet the criteria to be identified as PBT or vPvB

### 13 –DISPOSAL CONSIDERATIONS

**Disposal considerations:** Dispose in a safe manner in accordance with local / state / Federal regulations. Avoid release to the environment. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal method in compliance with applicable regulations.



## Safety Data Sheet- INTEGRA LIQUID COLOR

### 14 – TRANSPORTATION INFORMATION

**DOT:** Not regulated, not dangerous good.

**Transport by sea (IMO / IMDG):** Not regulated. Not dangerous good

**Air transport (ICAO/ IATA):** Not regulated. Not dangerous good

### 15 - REGULATIONS

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SRA Title III Chemical Listings:

**US Federal Regulations**

**TSCA Status:** all components are listed or exempted

**SECTION 302:** None

**SECTION 312**

**Acute:** Dust may irritate eyes, skin, respiratory tract, mucous membranes. Dust hazard should not occur under normal use.

**Chronic:** None

**Fire:** None

**Pressure:** none

**Reactive:** None

**SARA 313:** none

**Clean Water Act:** not applicable

**FDA:** NA

**US State Regulations**

**US state regulations**

**US. Massachusetts RTK - Substance List**

**US. New Jersey Worker and Community Right-to-Know Act**

**US. Pennsylvania RTK - Hazardous Substances**

Carbon Black CAS 1333-86-4

**WARNING:** This product contains a chemical known to the State of California to cause cancer.

**California Prop. 65**

Carbon Black 1333-86-4 (Cancer yes, Reproductive no)

**International regulations**

**Canada**

**CEPA DSL:** All components are listed or exempted.

**Australia inventory (AICS):**All components are listed or exempted.

**China inventory (IECSC):**All components are listed or exempted.

**Japan inventory:**All components are listed or exempted.

**Korea inventory:**All components are listed or exempted.

**Philippines inventory (PICCS):** All components are listed or exempted.

**Europe-EINICS:** All components are listed or exempted.

### 16 – OTHER INFORMATION



## Safety Data Sheet- INTEGRA LIQUID COLOR

**Additional Information:** This Safety Data Sheet complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HCS-2012) and its adaptation of United Nations 'Globally Harmonized System of Classification and Labeling of Chemicals (GHS). This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

**DISCLAIMER OF LIABILITY:** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.